

This policy has been largely adapted from the White Rose Maths Hub Calculation Policy with further material added.

It is a working document and will be revised and amended as necessary.

Objective & Strategy	Concrete	Pictorial	Abstract
Combining two parts to make a whole: part- whole model	Use part part whole model. Use cubes to add two numbers together as a group or in a bar.	Use pictures to add two numbers together as a group or in a bar.	4 + 3 = 7  Use the part-part  whole diagram as shown above to move into the abstract.
Starting at the big- ger number and counting on	Start with the larger number on the bead string and then count on to the smaller number 1 by 1 to find the answer.	12 + 5 = 17  10 11 12 13 14 15 16 17 18 19 20  Start at the larger number on the number line and count on in ones or in one jump to find the answer.	5 + 12 = 17  Place the larger number in your head and count on the smaller number to find your answer.
Regrouping to make 10.  This is an essential skill for column addition later.	Start with the bigger number and use the smaller number to make 10. Use ten frames.	Use pictures or a number line. Regroup or partition the smaller number using the part part whole model to make 10.  9 + 5 = 14	7 + 4= 11  If I am at seven, how many more do I need to make 10. How many more do I add on now?
Represent & use number bonds and related subtraction facts within 20	2 more than 5.	Draw 2 more hata	Emphasis should be on the language '1 more than 5 is equal to 6.' '2 more than 5 is 7.' '8 is 3 more than 5.'

Objective &	Concrete	Pictorial	Abstract
Strategy  Adding multiples of ten	50= 30 = 20  Model using dienes and bead strings	3 tens + 5 tens = tens 30 + 50 = Use representations for base ten.	$20 + 30 = 50$ $70 = 50 + 20$ $40 + \Box = 60$
Use known number facts  Part part whole	Children explore ways of making numbers within 20	20	
Using known facts		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3 + 4 = 7 leads to 30 + 40 = 70 leads to 300 + 400 = 700
Bar model	3+4=7	7 + 3 = 10	23 25 25 23 + 25 = 48

Objective &	Concrete	Pictorial	Abstract
Add a two digit number and ones	17 + 5 = 22 Use ten frame to make 'magic ten  Children explore the pattern.  17 + 5 = 22 27 + 5 = 32	Use part part whole and number line to model.  17 + 5 = 22  20  16 + 7  16 20 23	17 + 5 = 22  Explore related facts  17 + 5 = 22  5 + 17 = 22  22
Add a 2 digit num- ber and tens	25 + 10 = 35 Explore that the ones digit does not change	27 + 30 +10 +10 +10 	27 + 10 = 37 27 + 20 = 47 27 + $\square$ = 57
Add two 2-digit numbers	Model using dienes , place value counters and numicon	+20 +5 Or +20 +3 +2  47 67 72 47 67 70 72  Use number line and bridge ten using part whole if necessary.	25 + 47 $ 20 + 5 $ $ 40 + 7 $ $ 20 + 40 = 60 $ $ 5 + 7 = 12 $ $ 60 + 12 = 72$
Add three 1-digit numbers	Combine to make 10 first if possible, or	Regroup and draw representation.	4+7+6 = 10+7  = 17  Combine the two numbers that make/ bridge ten then add on the third.

bridge 10 then add third digit

= 15

Objective & Strategy	Concrete	Pictorial	Abstract
Column Addition—no regrouping (friendly numbers)	T O Model using Dienes or numicon  Add together the ones first, then the	Children move to drawing the counters using a tens and one frame.	223
Add two or three 2 or 3-digit numbers.	tens.  Tens Units  45  34  7  9  Calculations 21+42 =	tens ones	+ 1 1 4 3 3 7  Add the ones first, then the tens, then the hundreds.
Column Addition with regrouping.	Exchange ten ones for a ten. Model using numicon and pv counters.  Calculations 146 +527	Children can draw a representation of the grid to further support their understanding, carrying the ten underneath the line	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$

13

Objective &	Concrete		Pictorial		Abstract
Y4—add numbers with up to 4 digits		Ones 7	1 5	1 id.	3517 + 396 3913  Continue from previous work to carry hundreds as well as tens.  Relate to money and measures.
Y5—add numbers with more than 4 digits.  Add decimals with 2 decimal places, including money.	As year 4  tens ones tenths hu  Introduce decimal place value count and model exchange for addition.	2.37 + 81	1	hundred the	72.8 +54.6 127.4 1 1
Y6—add several numbers of increasing complexity	As Y5	As Y5			81,059 3668 15,301 +20,551 120,579
Including adding money, measure and decimals with different numbers of decimal points.					Insert zeros for place holders.

Objective & Strategy	Concrete	Pictorial	Abstract
Taking away ones.	Use physical objects, counters, cubes etc to show how objects can be taken away. $6-4=2$		7—4 = 3
	4-2 = 2	$15 - 3 = \boxed{12}$ Cross out drawn objects to show what has been taken away.	16—9 = 7
Counting back	Move objects away from the group, counting backwards.  Move the beads along the bead	5 - 3 = 2 Count back in ones using a number line.	Put 13 in your head, count back 4. What number are you at?
	string as you count backwards.		
Find the Difference	Compare objects and amounts  7 'Seven is 3 more than four'  4  'I am 2 years older than my	Count on using a number line to find the difference.	Hannah has 12 sweets and her sister has 5. How many more does Hannah have than her sister?
	sister'  5 Pencils  Lay objects to represent bar model.	0 1 2 3 4 5 6 7 8 9 10 11 12	


Objective &	Concrete	Pictorial	Abstract
Represent and use number bonds and related subtraction facts within 20 Part Part Whole model	Link to addition. Use PPW model to model the inverse.  If 10 is the whole and 6 is one of the parts, What's the other part? $10-6=4$	Use pictorial representations to show the part.	Move to using numbers within the part whole model.  5
Make 10	Make 14 on the ten frame. Take 4 away to make ten, then take one more away so that you have taken 5.	Jump back 3 first, then another 4. Use ten as the stopping point.	16—8  How many do we take off first to get to 10? How many left to take off?
Bar model		<b>素素素素素素素</b>	8 2
	5—2 = 3		10 = 8 + 2
	J Z = J		10 = 2 + 8
			10—2 = 8
			10—8 = 2

Objective & Strategy	Concrete	Pictorial	Abstract
Regroup a ten into ten ones	Use a PV chart to show how to change a ten into ten ones, use the term 'take and make'	20 – 4 =	20—4 = 16
Partitioning to sub- tract without re- grouping. 'Friendly numbers'	Use Dienes to show how to partition the number when subtracting without regrouping.	Children draw representations of Dienes and cross off.	43—21 = 22
Make ten strategy  Progression should be crossing one ten, crossing more than one ten, cross- ing the hundreds.	34—28 Use a bead bar or bead strings to model counting to next ten and the rest.	76 80 90 93 'counting on' to find 'difference'  Use a number line to count on to next ten and then the rest.	93—76 = 17

Objective & Strategy	Concrete	Pictorial	Abstract
Column subtraction without regrouping (friendly numbers)	Use base 10 or Numicon to model	Darw representations to support understanding	$47 - 24 = 23$ $-\frac{40 + 7}{20 + 4}$ Intermediate step may be needed to lead to clear subtraction understanding. $32$ $-12$ $20$
Column subtraction with regrouping	Begin with base 10 or Numicon. Move to pv counters, modelling the exchange of a ten into tten ones. Use the phrase 'take and make' for exchange.	Tens Ones  Tens Ones	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$


Objective & Strategy	Concrete	Pictorial	Abstract
Subtracting tens and ones Year 4 subtract with up to 4 digits. Introduce decimal subtraction through context of money	234 - 179  December 234 -	Children to draw pv counters and show their exchange—see Y3	2 x 5 4 - 1 5 6 2 1 1 9 2 Use the phrase 'take and make' for exchange
Year 5- Subtract with at least 4 digits, including money and measures.  Subtract with decimal values, including mixtures of integers and decimals and aligning the decimal	As Year 4	Children to draw pv counters and show their exchange—see Y3	28,928  Use zeros for place-holders.  77,769.00  77,769.00  77,769.00  77,769.00  77,769.00  77,769.00  77,769.00  77,769.00
Year 6—Subtract with increasingly large and more complex numbers and decimal values.			**************************************

Objective & Strategy	Concrete	Pictorial	Abstract
Doubling	Use practical activities using manipultives including cubes and Numicon to demonstrate doubling  + = = = = = = = = = = = = = = = = = =	Double 4 is 8	Partition a number and then double each part before recombining it back together.  16 10 6 1x2 1 x2 20 + 12 = 32
Counting in multi- ples	Count the groups as children are skip counting, children may use their fingers as they are skip counting.	Children make representations to show counting in multiples.	Count in multiples of a number aloud. Write sequences with multiples of numbers.  2, 4, 6, 8, 10  5, 10, 15, 20, 25, 30
Making equal groups and counting the total	$\begin{array}{c c} x & = 8 \\ \\ \text{Use manipulatives to create equal groups.} \end{array}$	Draw and make representations	2 x 4 = 8



Objective & Strategy	Concrete	Pictorial	Abstract
Doubling	Model doubling using dienes and PV counters. $40 + 12 = 52$	Draw pictures and representations to show how to double numbers	Partition a number and then double each part before recombining it back together. $ \begin{array}{cccccccccccccccccccccccccccccccccc$
Counting in multiples of 2, 3, 4, 5, 10 from 0 (repeated addition)	Count the groups as children are skip counting, children may use their fingers as they are skip counting. Use bar models.  5 + 5 + 5 + 5 + 5 + 5 + 5 + 5 = 40	Number lines, counting sticks and bar models should be used to show representation of counting in multiples.  3 3 3 3 3	Count in multiples of a number aloud.  Write sequences with multiples of numbers.  0, 2, 4, 6, 8, 10  0, 3, 6, 9, 12, 15  0, 5, 10, 15, 20, 25, 30  4 × 3 =


Objective & Strategy	Concrete	Pictorial	Abstract
Multiplication is commutative	Create arrays using counters and cubes and Numicon.  Pupils should understand that an array can represent different equations and that, as multiplication is commutative, the order of the multiplication does not affect the answer.	Use representations of arrays to show different calculations and explore commutativity.	$12 = 3 \times 4$ $12 = 4 \times 3$ Use an array to write multiplication sentences and reinforce repeated addition. $00000$ $5 + 5 + 5 = 15$ $3 + 3 + 3 + 3 + 3 = 15$ $5 \times 3 = 15$ $3 \times 5 = 15$
Using the Inverse This should be taught alongside division, so pupils learn how they work alongside each other.		8   X	$2 \times 4 = 8$ $4 \times 2 = 8$ $8 \div 2 = 4$ $8 \div 4 = 2$ $8 = 2 \times 4$ $8 = 4 \times 2$ $2 = 8 \div 4$ $4 = 8 \div 2$ Show all 8 related fact family sentences.




### **Pictorial**

Children can represent their work with place value counters in a way that they understand. They can draw the counters using colours to

show different amounts or just use the circles in the different columns to show their thinking as shown below.



Bar model are used to explore missing numbers




### Abstract

Start with multiplying by one digit numbers and showing the clear addition alongside the grid.


×	30	5		
7	210	35		
210 + 35 = 245				

Moving forward, multiply by a 2 digit number showing the different rows within the grid method.



Use place value counters to show how	Children can represent their work with pre value counters in a way that they understand	lace			
are finding groups of a number. We are tiplying by 4 so we need 4 rows	They can draw the counters using colour show different amounts or just use the counters.	stand. Star bers sto alor	ort with multip rs and showing ongside the gri	g the clear	
		king as	×	30	5
	24 × 3 = 72		7	210	35
Fill each row with 126	X 20 4	200	21	0 + 35 = 2	245
Add up each colume, starting with the making any exchanges needed	60 12	0			
	ipli- × 300 20 7	1 —		327	7
cation. This initially done where there is				x 4	
Hundreds Tens Ones	The grid method my be used to show ho	w this		28	<u></u>
		_		80	)
	7			1200	)
that t	= 8 × 60 - 0			1308	<del></del>
multip the or first.	Bar modelling and number lines can sup learners when solving problems with mu	ıltiplica-	3 2 ×	7 t 4 r	This may lead to a compact method.
	Add up each colume, starting with the original and the stage of multication. This initially done where there is regrouping. $321 \times 2 = 642$ Hundreds Tens Ones It is important this stat that the always multiple the one first.	Add up each columns, starting with the ones making any exchanges needed  Children can continue to be supported by place value counters at the stage of multiplication. This initially done where there is no regrouping. 321 x 2 = 642  Hundreds Tens Ones this initially done where there is no regrouping. The grid method my be used to show ho relates to a formal written method.  The grid method my be used to show ho relates to a formal written method.  Bar modelling and number lines can supplearners when solving problems with multiply the ones first.	Add up each columb, starting with the ones making any exchanges needed  Children can continue to be supported by place value counters at the stage of multiplication. This initially done where there is no regrouping. 321 x 2 = 642  Hundreds Tens Ones  It is important at this stage that they always multiply the ones first.  Bar modelling and number lines can support learners when solving problems with multiplications.	Add up each columes starting with the ones making any exchanges needed  Children can continue to be supported by place value counters at the stage of multiplication. This initially done where there is no regrouping. 321 x 2 = 642  Hundreds Tens Ones this stage that they always multiply the ones first.  Bar modelling and number lines can support learners when solving problems with multiplications. The support learners when solving problems with multiplications. The support learners when solving problems with multiplications.	Add up each columns, starting with the ones making any exchanges needed  Children can continue to be supported by place value counters at the stage of multiplication. This initially done where there is no regrouping. 321 x 2 = 642  Hundreds Tons Ones It is important at this stage that they always multiply the ones first.  Bar modelling and number lines can support learners when solving problems with multiplication. The solving problems with multiplication. The grid method my be used to show how this relates to a formal written method.  32.7  X 30 7 210  210 + 35 = 3  X 30 7 210  210 + 35 = 3  X 30 7 210  X 30 20 7  X 4 1200 80 28  X 4  The grid method my be used to show how this relates to a formal written method.  80  1308

elled alongside




Objective &	Concrete	Pictorial	Abstract
Multiplying decimals up to 2 decimal plac- es by a single digit.			Remind children that the single digit belongs in the units column. Line up the decimal points in the question and the answer.
			3 · 1 9 × 8 2 5 · 5 2

Objective &	Concrete	Pictorial	Abstract
Strategy			
Division as sharing		Children use pictures or shapes to share quantities.	12 shared between 3 is
Jse Gordon ITPs for nodelling			4
, and the second		8 shared between 2 is 4	
	<b>30 69</b>	Sharing:	
		4 4 4 12 shared between 3 is 4	
	10		
	10		
	I have 10 cubes, can you share them equally in		
	2 groups?		

Objective &	Concrete	Pictorial	Abstract
Strategy  Division as sharing	I have 10 cubes, can you share them equally in 2 groups?	Children use pictures or shapes to share quantities. $8 \div 2 = 4$ Children use bar modelling to show and support understanding. $12$ $12 \div 4 = 3$	12 ÷ 3 = 4
Division as grouping	Divide quantities into equal groups.  Use cubes, counters, objects or place value counters to aid understanding.	Use number lines for grouping  12 3 4 5 6 7 8 9 10 11 12  Think of the bar as a whole. Split it into the number of groups you are dividing by and work out how many would be within each group.  20 $\div$ 5 = ? 5 x ? = 20	28 ÷ 7 = 4  Divide 28 into 7 groups. How many are in each group?

Objective & Strategy	Concrete	Pictorial	Abstract
Division as grouping	Use cubes, counters, objects or place value counters to aid understanding.  24 divided into groups of $6 = 4$ 96 ÷ 3 = 32	Continue to use bar modelling to aid solving division problems. $ \begin{array}{c} 20 \\ ? \\ 20 \div 5 = ? \\ 5 \times ? = 20 \end{array} $	How many groups of 6 in 24? 24 ÷ 6 = 4
Division with arrays	Link division to multiplication by creating an array and thinking about the number sentences that can be created.  Eg $15 \div 3 = 5$ $5 \times 3 = 15$ $15 \div 5 = 3$ $3 \times 5 = 15$	Draw an array and use lines to split the array into groups to make multiplication and division sentences	Find the inverse of multiplication and division sentences by creating eight linking number sentences.  7 x 4 = 28  4 x 7 = 28  28 ÷ 7 = 4  28 ÷ 4 = 7  28 = 7 x 4  28 = 4 x 7  4 = 28 ÷ 7  7 = 28 ÷ 4

Division with remain- $14 \div 3 =$ Jump forward in equal jumps on a number line Complete written divisions and show the re-	Objective & Strategy	Concrete	Pictorial	Abstract
jumps our po recorded doing known racts.		Divide objects between groups and see how much is left over  Example without 40 ÷ 5 Ask "How many Example with re 38 ÷ 6  For larger number	then see how many more you need to jump to find a remainder.  Draw dots and group them to divide an amount and clearly show a remainder.  Use bar models to show division with remainders.  37  10  10  10  10  7  t remainder: $\frac{6+6+6+6+6+6+6+2}{0-5-10-15-20-25-30-35-40} = 6$ sixes with mainder.	mainder using r.  29 ÷ 8 = 3 REMAINDER 5 ↑ ↑ ↑ ↑ dividend divisor quotient remainder



## **Long Division**

Step 1—a remainder in the ones

- 4 does not go into 1 (hundred). So combine the 1 hundred with the 6 tens (160).
- 4 goes into 16 four times.
- 4 goes into 5 once, leaving a remainder of 1.

- 8 does not go into 3 of the thousands. So combine the 3 thousands with the 2 hundreds (3,200).
- 8 goes into 32 four times  $(3,200 \div 8 = 400)$
- 8 goes into 0 zero times (tens).
- 8 goes into 7 zero times, and leaves a remainder of 7.

# **Long Division**

Step 1

1. Divide.	2. Multiply & subtract.	3. Drop down the next digit.
t o	t o	t o
2 2)58	2 2) <del>5</del> 8 -4	29 2)5 <mark>8</mark> -4 <u></u>
Two goes into 5 two times, or 5 tens ÷ 2 = 2 whole tens but there is a remainder!	To find it, multiply 2 × 2 = 4, write that 4 under the five, and subtract to find the remainder of 1 ten.	1 8  Next, drop down the 8 of the ones next to the leftover 1 ten. You combine the remainder ten with 8 ones, and get 18.

1. Divide.	2. Multiply & subtract.	3. Drop down the next digit.
t o	t o	t o
2)58	29	2)58
- <u>4</u> 18	<u>- 4</u> 1 8	<u>-4</u> 18
	- <mark>1 8</mark> 0	<u>- 1 8</u> 0
Divide 2 into 18. Place 9 into the quotient.	Multiply 9 × 2 = 18, write that 18 under the 18, and subtract.	The division is over since there are no more digits in the dividend. The quotient is 29.





## **Long Division**

Step 2—a remainder in any of the place values

1. Divide.	2. Multiply & subtract.	3. Drop down the next digit.
1 2 ) 2 7 8	2)278 =20	18 2)278 -2↓ 07
Two goes into 2 one time, or 2 hundreds ÷ 2 = 1 hundred.	Multiply 1 × 2 = 2, write that 2 under the two, and subtract to find the remainder of zero.	Next, drop down the 7 of the tens next to the zero.
Divide.	Multiply & subtract.	Drop down the next digit.
13 2)278 -2 07	13 2)278 -2 07 -6	13 2)278 -2 07 -6 18
Divide 2 into 7. Place 3 into the quotient.	Multiply 3 × 2 = 6, write that 6 under the 7, and subtract to find the remainder of 1 ten.	Next, drop down the 8 of the ones next to the 1 leftover ten.
1. Divide.	2. Multiply & subtract.	3. Drop down the next digit.
13 <mark>9</mark> 2)278 -2 07 -6	139 2)278 -2 07 - 6 18 -18	2)278 -207 -6 18 -18
Divide 2 into 18. Place 9 into the quotient.	Multiply 9 × 2 = 18, write that 18 under the 18, and subtract to find the remainder of zero.	There are no more digits to drop down. The quotient is 139.



i January 2019